

Requirements engineering processes The processes used for RE vary widely depending on the application domain, the people involved and the organisation developing the requirements. However, there are a number of generic activities common to all processes Requirements elicitation; Requirements validation; Requirements management.

©Ian Sommerville 2004

The requirements engineering process





Software Engineering, 7th edition. Chapter 7

Slide 2

Elicitation and analysis

- Sometimes called requirements elicitation or requirements discovery.
- Involves technical staff working with customers to find out about the application domain, the services that the system should provide and the system's operational constraints.
- May involve end-users, managers, engineers involved in maintenance, domain experts, trade unions, etc. These are called *stakeholders*.

Software Engineering, 7th edition, Chapter 7

erville 2004

Problems of requirements analysis

- Stakeholders don't know what they really want.
- Stakeholders express requirements in their own terms.
- Different stakeholders may have conflicting requirements.
- Organisational and political factors may influence
 the system requirements.
- The requirements change during the analysis process. New stakeholders may emerge and the business environment change.

Software Engineering, 7th edition. Chapter 7

©Ian Sommerville 2004

Slide



Requirements discovery

©Ian Sommerville 2004

- Interacting with stakeholders to discover their requirements. Domain requirements are also discovered at this stage.
- Requirements classification and organisation • Groups related requirements and organises them into
- coherent clusters. Prioritisation and negotiation
- Prioritising requirements and resolving requirements conflicts.
- Requirements documentation
 Requirements are documented and input into the next round of the spiral.

Software Engineering, 7th edition. Chapter 7

Requirements discovery

- The process of gathering information about the proposed and existing systems and distilling the user and system requirements from this information.
- Sources of information include documentation, system stakeholders and the specifications of similar systems.

Slide 8

©Ian Sommerville 2004 Software Engineering, 7th edition. Chapter 7









- Bank customers
- Representatives of other banks
- Bank managers
- Counter staff
- Database administrators
- Security managers
- Marketing department
- Hardware and software maintenance engineers

Software Engineering, 7th edition. Chapter 7

Slide 13

Banking regulators

©Ian Sommerville 2004

LIBSYS viewpoint hierarchy











Software Engineering, 7th edition, Chapter 7



Requirements reviews

- Regular reviews should be held while the requirements definition is being formulated.
- Both client and contractor staff should be involved in reviews.
- Reviews may be formal (with completed documents) or informal. Good communications between developers, customers and users can resolve problems at an early stage.

©Ian Sommerville 2004

Software Engineering, 7th edition. Chapter 7

Slide 20

Slide 22

Slide 24





©Ian Sommerville 2004

©Ian Sommerville 2004

Software Engineering, 7th edition. Chapter 7

Requirements change

- The priority of requirements from different viewpoints changes during the development process.
- System customers may specify requirements from a business perspective that conflict with end-user requirements.
- The business and technical environment of the system changes during its development.

Software Engineering, 7th edition. Chapter 7

Slide 23

erville 2004

Enduring and volatile requirements

- Enduring requirements. Stable requirements derived from the core activity of the customer organisation. E.g. a hospital will always have doctors, nurses, etc. May be derived from domain models
- Volatile requirements. Requirements which change during development or when the system is in use. In a hospital, requirements derived from health-care policy

Software Engineering, 7th edition. Chapter 7

Requirement Type	Description
Mutable requirements	Requirements that change because of changes to the environment in which the organisation is operating. For example, in hospital systems, the funding of patient care may change and thus require different treatment information to be collected.
Emergent requirements	Requirements that emerge as the customer's understanding of the system develop during the system development. The design process may reveal new emergen requirements.
Consequential requirements	Requirements that result from the introduction of the computer system. Introducing the computer system may change the organisations processes and open up new way of working which generate new system requirements
Compatibility requirements	Requirements that depend on the particular systems or business processes within an organisation. As these change, the compatibility requirements on the commissioned or delivered system may also have to evolve.

Requirements management planning

During the requirements engineering process, you have to plan: ٠

•

- Requirements identificationHow requirements are individually identified;
- A change management process .
 - The process followed when analysing a requirements change;
- ٠
- Traceability policies The amount of information about requirements relationships that is maintained;
- CASE tool support ٠
 - The tool support required to help manage requirements change;

©Ian Sommerville 2004

Software Engineering, 7th edition. Chapter 7